

Features

E 10 MASTER CONIC OD

MOTOR 950 W WITH REDUCTION TO 350 RPM

Powerful motor that allows you to work continuously in situations of high demand, maintaining all the properties of the coffee thanks to the cold grinding at low revolutions.





CONICAL BURRS 68 MM

Ensures accurate particle size for Espresso and spectacular productivity: 7 gr in 1.6 seconds. Special pre-wear treatment is applied to ensure optimal performance from the first use. Durability of 1200 Kg.

LCD DISPLAY

Multilanguage
Changing burrs alarm
3 Modes: Pre-selection - Automatic - Instant
Refill Button
Absolute and relative coffees counting
Activate pad and end of service sound
Password





DOUBLE VENTILATION SYSTEM

The Master E10 incorporates one fan under the motor and one on the upper body to help maintain a low temperature in the most demanding situations.

CONTINUOUS MICROMETRIC ADJUSTMENT SYSTEM PARALLEL


Set the grind point with maximum precision in a very simple and intuitive way. The new Parallel locking system provides an extra level of security ensuring parallel positioning between burrs at all times.



COFFEE OUTLET ENLIGHTENED WITH LEDS

Low consumption LED technology, which will allow the final user to have a greater visibility in their working area.





ACCURATE DOSING. TIME PER DOSE: 1.6 SEC. = 7 GR ESPRESSO (*)

(*) Calculated time to the grind point for a cup of Espresso coffee 25 ml in 25 seconds. With 7 grams of coffee.



ADJUSTABLE PORTA-FORK HEIGHT, UNIVERSAL CLAMP AND HOLDER

Perfect fit for the most common portafilter sizes, which also allows for hands-free usage.



HEAVY DUTY POWER SWITCH

Unlimited uses are guaranteed with this "three positions" switch offering a Total control to the Barista without been necessary to use the electronical system of the grinder.



ELECTRICAL COMPONENTS CERTIFICATE

According to Directive 2011/65/EU.