

maidaid  halcyon



D RANGE GLASSWASHERS

D RANGE GLASSWASHERS

Quality at the right price



Superb value for money

The 'D' range of glasswashers has been specifically developed to meet market demand for those seeking quality at the right price.

Sophisticated, state-of-the-art electronics give total control. Economical & energy saving, 'D' range machines self-diagnose mechanical and operator errors, enabling a service engineer to solve any problems quickly and accurately.

Maidaid Halcyon offers the most comprehensive range of value for money glasswashers, enabling you to select the most appropriate machine for your location.

Whether you are looking for a glasswasher for a public house, restaurant, hotel or night club, the 'D' range offers the ideal model.

Maidaid Halcyon
So much more than just a glasswasher.



- The entire range has soft touch, easy-to-use control panels



- Both the D500 and D510 have removable scrap tray filters giving unrivalled protection for the busiest sites

- All the models in the D range have a selectable energy saving option



Product Benefits

- Complete range of sizes to suit every establishment from the smallest bar to the busiest nightclub
- No unnecessary obstructions within the moulded wash tank - easy to clean
- Latest control technology ensures the user is in control
- Soft touch controls - no buttons to trap dirt, just wipe clean
- Factory set to operate at optimum washing temperatures with easy accurate adjustment for special site conditions
- Selectable temperature interlock to guarantee optimum rinse water temperatures
- Wash and rinse temperatures constantly displayed
- Selectable first start fast heat up time
- Selectable energy saving mode
- Detergent dosing made by adjustable peristaltic pump available on all models, retro fitting kits also available
- Fully adjustable rinsaid dosing driven by the wash pump
- Factory fitted breaktank available on D510 model
- Fitted drain pumps available on all models, retro fitting kits also available



D500 & D510 Extra features

- Wash tank scrap trays
- Breaktank standard (D510)
- Three selectable cycle times
- Three boiler element options on both models
- Continuous wash option

We have everything you need to ensure a perfect result every time

- Water softeners
- Machine stands
- Chemicals
- Racking systems
- Washstations
- Breaktanks

Select the right model

ESTABLISHMENT TYPE	APPLICATION	CAPACITY/COVER	D350	D400	D450	D500	D510BT
BARS:							
• Club • Restaurant	Glasswashing	Up to 100	✓				
• Public House		100 - 200		✓			
• Hotel • Theatre		200 - 300			✓		
• Night Club		250 - 350				✓	✓

For larger establishments, ask for MaidaId Halcyon literature on pass-through machines



TECHNICAL DATA



Technical Specifications			D350	D400	D450	D500A	D510	
Physical	Width	mm	400	435	525	575	575	All Maida Halcyon equipment carries the European 'CE' identification. The 'CE' mark signifies that all glasswashers and dishwashers will have been subjected to a thorough examination of all circuitry, components, electromagnetic compatibility and overall safety.
	Height	mm	625	670	695	815	815	
	Depth	mm	475	530	560	610	635	
	Depth (inc. handle)	mm	495	550	580	635	660	
	Depth (door open)	mm	775	870	875	955	980	
	Weight	kg	30	36	47	63	64	
	Cycle time	secs	150	150	150	60-120-180 + R Setting	60-120-180 Continuous	
Racks	Size	mm	350	390	450	500	500	
	Glasses per rack (pint)		12	16	20	25	25	
	Max usable height	mm	250	290	260	280	280	
	Plates per rack	x		x	x	16	16	
	Racks supplied		2 Open	2 Open	2 Open	1 Open 1 Plate	1 Open 1 Plate	
	Racks per hour		24	24	24	60-30-20	60-30-20	
Water	Water inlet		3/4"	3/4"	3/4"	3/4"	3/4"	
	Waste outlet (grav/pump)	mm	20	20	25/20	25/20	25/20	
	Pressure min	bar	2	2	2	2	2	
	max	bar	4	4	4	4	4	
	Consumption per cycle	litres	2	2	2.5	3	3	
	Wash tank capacity	litres	9	11	24	33	33	
	Wash tank temp	°C	55	55	55	55	55	
	Rinse boiler capacity	litres	2.6	2.6	2.6	6	6	
Rinse boiler temp	°C	85	85	85	85	85		
Electric	Voltage	v	240	240	240	240	240	
	Phase		Single	Single	Single	Single	Single	
	Current (options)	amps	13	13	13	13/20/30	13/20/30	
	Wash pump	kW	0.14	0.25	0.33	0.8	0.8	
	Wash tank element	kW	1.6	1.6	2.3	2	2	
	Rinse boiler element	kW	2.6	2.6	2.6	2/4/6	2/4/6	
	Total loading	kW	2.8	2.9	3	2.8/4.8/6.8	2.8/4.8/6.8	
Features	Rinsaid pump		Diaphragm	Diaphragm	Diaphragm	Diaphragm	Diaphragm	
	Detergent pump		Peristaltic	Peristaltic	Peristaltic	Peristaltic	Peristaltic	
	Drain pump		Optional	Optional	Optional	Optional	Optional	
	Internal Breaktank		No	No	No	No	Yes	
	Temperature adjustment		Yes	Yes	Yes	Yes	Yes	
	Thermostop		Selectable	Selectable	Selectable	Selectable	Selectable	
	Energy saving		Selectable	Selectable	Selectable	Selectable	Selectable	
	Fast Heat		Selectable	Selectable	Selectable	Selectable	Selectable	
	Wash arm		Plastic	Plastic	Plastic	Plastic S/S	Plastic S/S	
	Rinse arm		Plastic	Plastic	Plastic	Plastic S/S	Plastic S/S	



Quality Control

Quality of product and after-sales service is based on the operation of systems to the internationally recognised quality standard BS EN ISO 9002. However, above all else, quality of service results from the abilities, motivation and team work of people within the company.

Your Local Distributor
KiD Catering Equipment Services
 Oaktree Court Business Centre
 Mill Lane
 Neston
 Wirral
 Cheshire
 CH64 8TP
 Tel: 0333 123 2450
 E-Mail: sales@kidcatering.com

CDL05/05/4713

In the event of further technical development we reserve the right to alter our design and specification without notice