

There's a new generation hanging out at the MEIKO fountain

Your bar, your café, your

UPsters like to keep things moving. Don't mess around – make the decision and do it! *UPsters* have some great ideas, but right now their budget is limited. Time to bring on great quality at fair, entry-level prices! *UPsters* don't want any fuss. They want easy access to all the key information online. Plus a partner who'll give them all the support they need.













bistro - it's your thing! Get off to a great start with professional technology for a new dishwashing generation: MEIKO UPster


Cleaner. Faster. More economical.

UPster: there's a whole new generation getting down to work in the hotel, restaurant and care industries. MEIKO has the clean technology they need: MEIKO *UPster*. The perfect introduction to the world of professional warewashing technology. **Cleaner, faster, more economical.**





There's no time to lose. I need it by tomorrow!







Cleaner. Faster. More economical.



PSTER U400 The professional solution for sparkling clean glassware

The ultimate in user-friendliness with a crystal-clear display, simple one-click buttons, and a digital read-out of the wash and rinse water temperatures. High-quality design with double-walled thermal insulation to keep the heat in and minimise energy use. Scores highly for: slotting under the counter, plugging in, and enjoying sparkling results! Entry height H 300 mm

Dimensions

H 700–730 mm, W 460 mm, D 600 mm **Basket dimensions** 400 x 400 mm

Capacity

up to 30 baskets/h



Time to get

UPSTER






UPSTER U500 The clean machine for dishware & glassware

This model can even handle larger ware – and it offers best-in-class wash results. Its self-cleaning mode makes life easier, and the ,soft start' function is gentler on your dishware. Choice of 3 programmes. With tried-and-tested MEIKO electronics and efficient, eco-friendly credentials. <u>Scores highly for</u>: getting things clean without breaking the bank – bring it on!

Entry height
H 320 mm
Dimensions
H 820–850 mm, W 600 mm, D 600 mm*
*665 mm including built-in water softener
Basket dimensions
500 x 500 mm

Capacity
up to 30 baskets/h





Only the best. But keep it simple!







Cleaner. Faster. More economical.




PSTER H 500 A machine that makes life better for you and your washware

Pure dishwashing luxury: no clouds of steam when you open the machine, and the hood and body come double-walled as standard. Convenient automatic programme start. A great choice for tall items, too, such as big plates, serving dishes and trays. User-friendly display, choice of 3 programmes. Scores highly for: luxurious living, simply perfect!

Entry height H 440 mm Dimensions

Basket dimensions

Capacity
up to 40 baskets/h







Cleaner. Faster. More economical.

UPSTER K A modular solution – cool!

Maximum cleaning quality in a compact format: a choice of lengths gives you exactly the dishwashing capacity you need, so you avoid any unnecessary expense. Efficient heat recovery ensures better quality indoor air. And you can forget about an exhaust air connection, because this system doesn't need one! The result is ultra-low running costs - both for the machine itself and for your HVAC system. What's more, the machine is easy to operate thanks to its touch display and digital readouts. Scores highly for: intelligent dishwashing technology with the 'wow' factor!



Entry height

Basket capacity 80 - 100* - 120 baskets/h Quantity of rinse water

Connected load

30,9 kW incl. heat recovery and drying

Power consumption**

21,3 kW incl. heat recovery and drying

Machine length

1300 mm excl. drying / 1900 mm incl. drying



Entry height

508 mm

Basket capacity

95* - 125 - 150 baskets/h **Quantity of rinse water**

260 litres/h

Connected load

31,4 kW incl. heat recovery and drying

Power consumption**

21,7 kW incl. heat recovery and drying

1550 mm excl. drying / 2150 mm incl. drying



UPSTER K-M 250

Entry height

508 mm **Basket capacity**

125* - 150 - 190 baskets/h

Quantity of rinse water

260 litres/h

Connected load

31,4 kW incl. heat recovery and drying

Power consumption*

21,7 kW incl. heat recovery and drying

Machine length

2050 mm excl. drying / 2650 mm incl. drying

*Complies with contact time specified in DIN 10510 / DIN 10511 (or DIN SPEC 10534).

** This is an average value based on a sample type of place setting and operating mode

Real PSTERS want to know all the ins and outs!

Time to discover a whole world of clean solutions from MEIKO



KiD Catering Equipment
Oaktree Court Business Centre
Mill Lane, Ness, Cheshire, CH64 8TP
Tel: 0333 123 2450
sales@kidcateringequipment.com

121.030.00.10.15/GB/DD/3000



MEIKO Maschinenbau GmbH & Co. KG · Englerstr. 3 · 77652 Offenburg · Germany Tel. +49 (0)781 203-0 · Fax +49 (0)781 203-1179 · www.meiko.de · info@meiko.de