

CHEFTOP MIND.Map<sup>TM</sup>



# CAFETERIAS & SCHOOLS

**LONG**Life4!

Spare parts 4 years / 10.000 hours optional warranty\*





**COOKING QUALITY, REPEATABILITY, RELIABILITY.**

## The ingredients of your success.

Cooking for others, so they can concentrate on their job and achieve their objectives. Isn't this the aim of a cafeteria service?

This is also the purpose of the CHEFTOP MIND.Maps™ ovens. Designed to be intelligent: They understand the desired result, interpret the settings, register the variations of temperature and humidity, understand the quantity of food that is in the oven and optimize the cooking process to achieve exactly the results that you expect. Regardless of the amount of food loaded.

With the CHEFUNOX mode of CHEFTOP Mind.Maps™, everything is easier: you only have to select the cooking method you want to use. The oven will then ask you to choose the result you aim to achieve and the cooking program will start. So you can focus on your work and achieve on your goals.

# REPEATABILITY.

UNOX Solutions for Cafeterias & Schools.

	6 + 6 18"x26"	10 18"x26" + CABINET	6 + 6 GN 2/1	10 GN 2/1 + CABINET	7 + 7 GN 1/1	10 GN 1/1 + CABINET
	<b>XAVC-06FS-EPR</b>	<b>XAVC-10FS-EPR</b>	<b>XEVC-0621-EPR</b>	<b>XEVC-1021-EPR</b>	<b>XEVC-0711-EPR</b>	<b>XEVC-1011-EPR</b>
Capacity	6 18"x26"	10 18"x26"	6 GN 2/1	10 GN 2/1	7 GN 1/1	10 GN 1/1
Pitch	80 mm	3-3/16" (80 mm)	77 mm	77 mm	67 mm	67 mm
Frequency	60 Hz	60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz
Voltage	208 - 240 V 3-	208 - 240 V 3-	400 V - 3N	400 V - 3N	400 V - 3N	400 V - 3N
Electrical power	14,3 - 19,1 kW	21,6 - 28,7 kW	20,5 kW	30,8 kW	11,7 kW	18,5 kW
Dimensions (WxDxH mm)	860x957x843 mm	860x957x1163	860x1120x843	860x1120x1163	750x773x843	750x773x1010
Weight	100 kg	130 kg	160 kg	170 kg	85 kg	95 kg
Stacking kit*	XAVQC-00E2-E	-	XEAQC-00E2-E	-	XEVQC-0011-E	-
	<b>XAVC-06FS-EPR</b>	<b>XWAEC-08EF</b>	<b>XEVC-0621-EPR</b>	<b>XWVEC-0821</b>	<b>XEVC-0711-EPR</b>	<b>XWVEC-0811</b>
Capacity	6 18"x26"	8 18"x26"	6 GN 2/1	8 GN 2/1	7 GN 1/1	8 GN 1/1
Pitch	80 mm	57 mm	77 mm	57 mm	67 mm	57 mm
Frequency	60 Hz	-	50 / 60 Hz	-	50 / 60 Hz	-
Voltage	208 - 240 V 3-	-	400 V - 3N	-	400 V - 3N	-
Electrical power	14,3 - 19,1 kW	-	20,5 kW	-	11,7 kW	-
Dimensions (WxDxH mm)	860x957x843 mm	860x901x617	860x1120x843	860x995x676	750x773x843	750x656x676
Weight	100 kg	25 Kg	160 kg	30 kg	85 kg	18 kg
Floor stand*	XWARC-00EF-F	-	XWVRC-0021-F	-	XWVRC-0011-F	-

\* Mandatory

## CHEFUNOX.

Everything under control.

An innovative, reliable and powerful technology is not enough. To really make a difference you have to be able to use it from the very first moment.

With CHEFUNOX, everything is easier: you only have to select the cooking method you wish to use. The oven will ask you to select the desired result and the cooking program will start.

CHEFTOP MIND.Maps™ is an intelligent oven that understands the result you are looking for, it monitors the changing parameters during the cooking process and suggests the best way to obtain the optimal result.

When technology becomes transparent, your standards are safeguarded. Right from the start.



**CHEFTOP MIND.Maps™**  
Link to cooking tutorial videos